AUTHOR INDEX

Araki, Y. 147, 159 Aspinall, G.O. 13

Benedetti, L. 73 Blaschek, W. 293 Brade, H. 65

Callegaro, L. 73 Campana, S. 31 Carlson, R.W. 205 Cesàro, A. 117 Chandrasekaran, R. 171 Colli, W. 329 Couto, A.S. 329 Crescenzi, V. 73

Dabrowski, J. 1 De Lederkremer, R.M. 329 Dell, A. 39 Dentini, M. 73 Dutton, G.G.S. 39

Eggleston, G. 185 Eguchi, H. 147, 159

Fournet, B. 197 Franz, G. 293

Gamini, A. 117 Ganter, J. 31 Gidley, M.J. 185 Gray, G.R. 221 Grosskurth, H. 1 Gruter, M. 273

Haishima, Y. 55 Hart, M.J. 83 Hashimoto, N. 317 Hisamatsu, M. 137 Hisamichi, K. 317 Hisatsune, K. 55 Hollingsworth, R.I. 261 Holst, O. 65

Jansson, P.-E. 325

Kamerling, J.P. 273 Karamanos, Y. 197 Käsbauer, J. 293 Katzenellenbogen, E. 51, 249 Kaya, S. 147, 159 Kholodkova, E.V. 1 Knirel, Yu.A. 1, 249 Kobayashi, H. 105, 317 Kocharova, N.A. 249 Kochetkov, N.K. 1, 249 Kojima, N. 159 Kol, O. 197 Komido, M. 317 Kondo, S. 55 Kosma, P. 65 Kraus, J. 293 Krishnaiah, B.S. 205 Kuiper, J. 273 Kuma-Mintah, A. 39

Lee, E.J. 171 Leeflang, B.R. 273 Lüderitz, O. 83

McDonald, A.G. 13 Milas, M. 31 Moran, A.P. 309 Morris, E.R. 185

Navarini, L. 117 Ng, S.K. 39 Nishidate, Y. 105

Oxley, D. 237

Pang, H. 13 Parolis, H. 39, 93 Parolis, L.A.S. 93 Priefer, U.B. 261

Reason, A. 39 Rinaudo, M. 31 Romanowska, E. 51, 249

Scholz, D. 309 Segatori, M. 73 Shashkov, A.S. 1, 51, 249 Shaw, D.H. 83 Sherman, J.S. 221 Shibata, N. 105, 317 Stanislavsky, E.S. 1 Strecker, G. 197 Suzuki, S. 105, 317

Tahahashi, S.-i. 105 Takaku, M. 105 Takikawa, M. 105 Tiblandi, C. 73 Tomasi, G. 117 Uhrig, M.L. 329

Vidotto, S. 117 Vinogradov, E.V. 1 Vliegenthart, J.F.G. 273

Watanabe, M. 317 Whittaker, D.V. 93 Widmalm, G. 325 Wieruszeski, J.-M. 197 Wilkinson, S.G. 237 Witkowska, D. 51

Yokota, S.-i. 159

Zähringer, U. 309 Zalisz, R. 197 Zhang, Y. 261 Zingales, B. 329

SUBJECT INDEX

- Acetolysis and NMR studies of the p-mannan of Saccharomyces cerevisiae X2180-A wild-type strain, 317
- Acidic glycan from the reference strain for Serratia marcescens serogroup O22, structure of an. 237
- Aeromonas salmonicida ssp. salmonicida, structure of the core oligosaccharide in the lipopolysaccharide isolated from, 83
- Antitumour storage and solubilised cell-wall (1 → 3), (1 → 6)-β-D-glucans of Pythium aphanidermatum, culture, cell-wall composition, and isolation and structure of, 293
- Bacterial polysaccharide gellan, synthesis and preliminary characterisation of new esters of the, 73
- Bacteriophage degradation and inverse-detected NMR experiments, a re-investigation of the structure of the capsular polysaccharide of Klebsiella K15 using, 93
- Bradyrhizobium japonicum 61A101c and its symbiotically defective lipopolysaccharide mutant JS314, structures of the oligosaccharides obtained from the core regions of the lipopolysaccharides of, 205
- Campylobacter jejuni serotypes O:23 and O:26, structures of the O chains from lipopolysaccharides of, 13
- Candida stellatoidea Types I and II, structural comparison of the p-mannans of the pathogenic yeasts, 105
- Capsular antigen of E. coli O8: K46: H30, determination of structure using FABMS and 2D-NMR spectroscopy, 39
- O Chains from lipopolysaccharides of Campylobacter jejuni serotypes O:23 and O:26, structures of the O chains from, 13
- Conformational stability and gelation of *Rhizo-bium* capsular polysaccharide, effect of the selective removal of α-D-galactose side chains by guar α-D-galactosidase, 185
- Cyclic (1 → 2)-β-D-glucans (cyclosophorans) produced by Agrobacterium and Rhizobium species, 137

- Cyclosophorans [cyclic (1 → 2)-β-p-glucans] produced by Agrobacterium and Rhizobium species, 137
- 3-Deoxy-p-manno-2-octulosonate (Kdo) in lipopolysaccharides of representatives of the family Vibrionaceae and the occurrence of Kdo 4-phosphate in their inner-core regions, taxonomic implication of the apparent undetectability of, 55
- 2,3-Diamino-2,3-dideoxy-D-glucose (GlcN3N), methylation analysis in the determination of the structure of disaccharides containing, 309
- 2,4-Dihydroxy-3,3,4-trimethylpyroglutamic acid, occurrence as an N-acyl substituent in the O-polysaccharide chain of the lipopolysaccharide of Vibrio anguillarum V-123, 147
- Dissaccharides containing 2,3-diamino-2,3-dideoxy-p-glucose (GlcN3N) associated with the backbone of lipid A, methylation analysis in the determination of the structure of, 309
- Disaccharides of 3-deoxy-p-manno-octulopyranosonic acid (Kdo), GLC-MS of reduced, acetylated, and methylated (2 → 4)- and (2 → 8)-linked, 65
- Enterobacter agglomerans, structure of the Ospecific polysaccharide chain of the lipopolysaccharide, 197
- Escherichia coli O8: K46: H30, determination of the structure of the capsular antigen by FABMS and 2D-NMR spectroscopy, 39
- Ester-containing polysaccharides, studies of model compounds for analysis by the reductive cleavage method, 221
- Esters of the bacterial polysaccharide gellan, synthesis and preliminary characterisation of new, 73
- Exopolysaccharide produced by *Lactococcus* lactis subspecies cremoris H414 grown in a defined medium or skimmed milk, structure of the, 273
- Galactoglucan from Rhizobium meliloti strain YE-2(SI), solution conformation and properties of the. 117

- Gel-forming capsular polysaccharide from Rhizobium trifolii, the "pseudo double-helical" structure of the, 171
- Gellan family of bacterial polysaccharides, solution properties, 31
- Gellan, synthesis and preliminary characterisation of new esters of the bacterial polysaccharide, 73
- GLC-MS of reduced, acetylated, and methylated (2 → 4)- and (2 → 8)-linked disaccharides of 3-deoxy-p-*manno*-octulopyranosonic acid (Kdo), 65
- Glucans, cyclic $(1 \rightarrow 2)$ - β -D-, produced by Agrobacterium and Rhizobium species, 137
- Glucans of *Pythium aphanidermatum*, culture, cell-wall composition, and isolation and structure of antitumour storage and solubilised cell-wall (1 → 3), (1 → 6)-β-D-, 293
- Glycan from the reference strain for Serratia marcescens serogroup O22, structure of an acidic, 237
- Glycerol teichoic acid-like O-specific polysaccharide of *Hafnia alvei* 1205, the structure of, 249
- Hafnia alvei st.ain 38 lipopolysaccharide, the structure of the O-specific polysaccharide from, 51
- Klebsiella K15, a re-investigation of the structure of the capsular polysaccharide of, using bacteriophage degradation and inverse-detected NMR experiments, 93
- Lactococcus lactis subspecies Cremoris H414 grown in a defined medium or skimmed milk, structure of the exopolysaccharide produced by, 273
- Lipopolysaccharide isolated from Aeromonas solmonicida ssp. salmonicida, structure of the core oligosaccharide in the, 83
- Lipopolysaccharide of Enterobacter agglomerans, structure of the O-specific polysaccharide chain of the, 197
- Lipopolysaccharide of Salmonella arizonae O61, the structure of the O-specific polysaccharide chain of the, 1
- Lipopolysaccharide of Vibrio anguillarum V-123, occurrence of 2,4-dihydroxy-3,3,4-trimethylpyroglutamic acid as an N-acyl substituent in the O-polysaccharide chain of the, 147
- Lipopolysaccharide of Vibrio anguillarum V-123, structure of the O-polysaccharide of the, 159
- Lipopolysaccharide, the structure of the Ospecific polysaccharide from Hafnia alvei strain 38, 51

- Lipopolysaccharides of *Bradyrhizobium japonicum* 61A101c and its symbiotically defective lipopolysaccharide mutant JS314, structures of the oligosaccharides obtained from the core regions of the, 205
- Lipopolysaccharides of Campylobacter jejuni serotypes O:23 and O:26, structures of the O chains from, 13
- Lipopolysaccharides of representatives of the family Vibrinaceae and the occurrence of Kdo 4-phosphate in their inner-core regions, taxonomic implication of the apparent undetectability of 3-deoxy-D-manno-2-octulosonate (Kdo) in, 55
- Lipopolysaccharides of symbiotically impaired Rhizobium leguminosarum biovar viciae VF-39 mutants, characterization of structural defects in the, 261
- D-Mannan of Saccharomyces cerevisiae X2180-1A wild-type strain, mild acetolysis and NMR studies of the. 317
- D-Mannans of the pathogenic yeasts Candida stellatoidea Types I and II, structural comparison of the, 105
- Metabolic labelling and partial characterisation of a sulfoglycolipid in *Trypanosoma cruzi* trypomastigotes, 329
- Methylation analysis in the determination of the structure of disaccharides containing 2,3-diamino-2,3-dideoxy-p-glucose (GlcN3N) associated with the backbone of lipid A, 309
- Model compounds for the analysis of ester-containing polysaccharides by the reductivecleavage method, studies of, 221
- NMR spectroscopy and FABMS, determination of the structure of the capsular antigen of *E. coli* O8: K46: H30 by 2D, 39
- Octulopyranosonic acid (Kdo), GLC-MS of reduced, acetylated, and methylated (2 → 4)-and (2 → 8)-linked disaccharides of 3-deoxy-D-manno-, 65
- Oligosaccharide in the lipopolysaccharide isolated from *Aeromonas salmonicida* ssp. salmonicida, structure of the core, 83
- Oligosaccharides obtained from the core regions of the lipopolysaccharides of *Bradyrhizo-bium japonicum* 61A101c and its symbiotically defective lipopolysaccharide mutant JS314, structures of the, 205
- Polysaccharide chain of the lipopolysaccharide of Enterobacter agglomerans, structure of the O-specific, 197

- Polysaccharide chain of the lipopolysaccharide of Salmonella arizonae O61, the structure of the O-specific, 1
- O-Polysaccharide chain of the lipopolysaccharide of Vibrio anguillarum V-123, structure of the, 159
- Polysaccharide from *Hafnia alvei* strain 38 lipopolysaccharide, the structure of the Ospecific, 51
- Polysaccharide from *Rhizobium trifolii*, the "pseudo-helical" structure of the gel-forming capsular, 171
- Polysaccharide of Hafnia alvei 1205, the structure of a glycerol teichoic acid-like Ospecific, 249
- Polysaccharide of Klebsiella K15, a re-investigation of the structure using bacteriophage degradation and inverse-detected NMR experiments, 93
- Polysaccharide S-84 elaborated by *Pseudomonas* ATCC 31562, structure and depolymerization using fuming hydrocholoric acid, 325
- Polysaccharide, selective removal by guar α-D-galactosidase of α-D-galactose side chains from *Rhizobium* capsular polysaccharide, and the effect on conformational stability and gelation, 185
- Polysaccharides of the gellan family, the solution properties of bacterial, 31
- Polysaccharides, studies of model compounds for the analysis by the reductive-cleavage method of ester-containing, 221
- Pseudomonas ATCC 31562, structure of the polysaccharide S-84 elaborated by, and depolymerisation using fuming hydrochloric acid, 325
- Pythium aphanidermatum, culture, cell-wall composition, and isolation and structure of antitumour storage and solubilised cell-wall (1 → 3), (1 → 6)-B-D-glucans, 293
- Rhizobium capsular polysaccharide, selective removal by guar α-D-galactosidase of α-D-galactose side chains and the effect on conformational stability and gelation, 185
- Rhizobium leguminosarum biovar viciae VF-39 mutants, characterization of structural defects in the lipopolysaccharides of symbiotically impaired, 261
- Rhizobium meliloti strain YE-2(SI), solution conformation and properties of the galactoglucan from, 117
- Rhizobium trifolii, the "pseudo-helical" structure of the gel-forming capsular polysaccharide from, 171

- Saccharomyces cerevisiae X2180-1A wild-type strain, mild acetolysis and NMR studies of the D-mannan of, 317
- Salmonella arizonae O61, the structure of the O-specific polysaccharide chain of the lipopolysaccharide of, 1
- Serratia marcescens serogroup O22, structure of an acidic glycan from the reference strain for, 237
- Solution conformation and properties of the galactoglucan from *Rhizobium meliloti* strain YE-2(SI), 117
- Solution properties of bacterial polysaccharides of the gellan family, 31
- Structure of the expopolysaccharide produced by Lactococcus lactis subspecies cremoris H414 grown in a defined medium or skimmed milk 273
- Structure of the polysaccharide S-84 elaborated by *Pseudomonas* ATCC 31562 and depolymerisation using fuming hydrochloric acid, 325
- Sulfoglycolipid in *Trypanosoma cruzi* trypomastigotes, metabolic labelling and partial characterisation of a, 329
- Symbiotically impaired Rhizobium leguminosarum biovar viciae VF-39 mutants, characterization of structural defects in the lipopolysaccharides of, 261
- Taxonomic implication of the apparent undetectability of 3-deoxy-D-manno-2-octulosonate (Kdo) in lipopolysaccharides of representatives of the family Vibrionaceae and the occurrence of Kdo 4-phosphate in their inner-core regions, 55
- Teichoic acid-like O-specific polysaccharide of Hafnia alvei 1205, the structure of a glycerol, 249
- Trypanosoma cruzi trypomastigotes, metabolic labelling and partial characterisation of a sulfoglycolipid in, 329
- Vibrio anguillarum V-123, occurrence of 2,4-dihydroxy-3,3,4-trimethylpyroglutamic acid as an N-acyl substituent in the O-polysaccharide chain of the lipopolysaccharide of, 147
- Vibrio anguillarum V-123, structure of the Opolysaccharide chain of the lipopolysaccharide of, 159
- Yeasts (Candida stellatoidea Types I and II), structural comparison of the D-mannans of pathogenic, 105